

Datalogic Lynx handheld mobile computer (944400004)

6.858 cm (2.7 ") LCD 320 x 240 px, QWERTY 46-key, 802.11b/g/n, Bluetooth 2.0+EDR, XScale PXA 310 806 MHz, 256MB RAM, 512MB Flash, micro USB, RS-232, micro SD, 1800 mAh, 270 g, Black, Windows Embedded Handheld 6.5



Price details:

Price excl. VAT: 560.57 €

Eco fees: 0.04 €

VAT 21 %: 117.73 €

Product details:

Product code: 944400004

EAN: 0703327706074

Manufacturer: Datalogic

PDF generated on: 22 February, 2018



678.34 €

* VAT included

- Ergonomic, compact and robust.
- Microsoft Windows Embedded Handheld 6.5.
- Assisted GPS (A-GPS) with Skyhook's Core Engine hybrid positioning system for location-based applications.
- 3G/4G (HSPA+) mobile radio for voice and data communication.
- Summit embedded 802.11 b/g/n radio Cisco CCX v4 certified for enterprise-class mobile connectivity.
- Bluetooth® wireless technology Class 2 with EDR for simultaneous connections with lower power consumption.
- Laser or wide aspect 2D imager.
- 3 Megapixel autofocus camera with flash.
- 256 MB RAM / 512 MB Flash memory.
- XScale PXA 310 @ 806 MHz processor.
- User-accessible micro SD memory slot (SDHC).
- Ruggedized with 1.2 m / 4 ft drop to concrete resistance and IP54 protection class.
- Wavelink Avalanche® device management pre-licensed.

INDUSTRY - APPLICATIONS

- Retail: Merchandising, Pricing, Stock Management, Inventory, Assisted Sales and Gift Registry.
- T&L: Route Accounting, Direct Store Delivery, Work Force Management, Courier Value-added Services and Ticket Verification.
- Manufacturing: Electronics & Computers/Food & Beverage Merchandising, Field Sales and Management.
- Hospitality/Entertainment: Cinemas, Theaters, Museums, Events, Travel, Leisure and Ticket Verification.
- Services: Commercial Services, Library Management.

COMPACT AND COMPLETE

The Lynx PDA combines the latest technology in a pocketable and robust package. This state-of-the-art PDA features an 806 MHz processor with 256 MB RAM and 512 MB Flash, all delivered in the industry's most appreciated ergonomic form factor. The Lynx PDA has handy LED's to provide instant status on battery charging, good read indicator and keyboard state. It offers a vibrator for customizable alerts and an accelerometer to automatically orient the display.

INDOOR AND OUTDOOR RELIABILITY

The Lynx PDA offers excellent aesthetics complimented by industrial robustness that survives indoor and outdoor usage. A high drop resistance rating ensures the ruggedness of the Lynx PDA.

DATA CAPTURE

The Lynx PDA comes equipped with either a 1D laser scanner or a 2D bar code imager. For emerging applications requiring evidence of task execution or damaged documentation, an autofocus camera is included with a built-in flash providing a solution to collect and document with photos.

WIRELESS COMMUNICATIONS

The Lynx wireless technology provides four radios with internal antennas: Bluetooth® EDR for fast and close data connections, 802.11 b/g/n Cisco CCX v4 certified for quick wireless network

access, 3G/4G (HSPA+) for real-time wide area communication and Assisted GPS (A-GPS) with Skyhook's Core Engine hybrid positioning system for location based applications.

DEVELOP, DEPLOY, DIRECT

The Lynx PDA integrates the latest Microsoft operating system using Windows® Embedded Handheld 6.5 for mobile devices. This industry leading operating system is complimented by Wavelink Avalanche® to enable fast configuration and deployment.

Main specifications:

Display

Display diagonal:	2.7 "
Display resolution:	320 x 240 pixels
Touchscreen:	Y
Display:	LCD
Display number of colours:	262144 colours

Memory

Internal memory:	256 MB
Internal memory type:	RAM
Compatible memory cards:	microSD (TransFlash),microSDHC
Flash memory:	512 MB

Processor

Processor frequency:	806 MHz
Processor family:	PXA 310

GPS Performance

GPS (satellite):	N
------------------	---

Software

Operating system installed:	Windows Embedded Handheld 6.5
-----------------------------	-------------------------------

Wireless LAN features

Wi-Fi:	Y
Wi-Fi standards:	802.11b,802.11g,802.11n
Security algorithms:	CCX v4

Data transmission

Bluetooth:	Y
Data network:	Not supported
Bluetooth version:	2.0+EDR

Camera

Built-in camera:	N
------------------	---

Ports & interfaces

Interface:	micro USB, RS-232
------------	-------------------

Operational conditions

Storage temperature (T-T):	-20 - 70 °C
Operating temperature (T-T):	0 - 50 °C
Operating temperature (T-T):	32 - 122 °F

Power

Battery capacity:	1800 mAh
Battery technology:	Lithium-Ion (Li-Ion)

Weight & dimensions

Weight:	270 g
Width:	68 mm
Depth:	27 mm
Height:	144 mm

Technical details

Colour of product:	Black
Phone function:	N
RFID reader:	N
Certification:	RoHS, IEC, EN
Keyboard layout:	QWERTY

Keypad number of keys:
Barcode reader:

46
Y

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.