

Datalogic Falcon X3+ handheld mobile computer (945200036)

Falcon X3+ Handheld, 802.11 a/b/g/n CCX v4, Bluetooth v2.1, 256 MB RAM/1GB Flash, VGA 52-Key Alpha Numeric, Hi- Performance Laser w Green Spot, Camera 3.1MP,



Price details:

Price excl. VAT: 1,077.82 €

Eco fees: 0.00 €

VAT 21 %: 226.34 €

Product details:

Product code: 945200036

EAN:

Manufacturer: Datalogic

1,304.16 €

* VAT included

PDF generated on: 17 October, 2017



The Falcon X3+ mobile computer delivers the ultimate in ruggedness, ergonomics, computing and data capture technologies, while providing a tailored solution for demanding environments needing real-time transaction visibility.

The Falcon's Laird/Summit IEEE 802.11 a/b/g/n dual band Wi-Fi radio provides exceptional data throughput along with a new diversity antenna system for maximum coverage. The CCX v4 certification provides encryption levels for PCI compliance and seamless high speed roaming across large facilities.

Unique features of the Falcon X3+ mobile computer include a pistol grip or handheld form factor, numeric and alphanumeric keyboards, choice of Microsoft Windows® operating systems, a standard range or extra-long range 2D imager, a high performance laser, or an auto ranging laser for maximum distance on 1D labels. Datalogic's patented 'Green Spot' technology provides for good-read visual confirmation when scanning in environments where noise is a factor. The Falcon X3+ mobile computer also incorporates a camera to verify promotional displays and document damaged or returned goods.

Datalogic's software tools and strategic software alliances fit the X3+ mobile computer to the business practice, while Datalogic's comprehensive service programs protect the Falcon investment.

- Auto Ranging Laser and Extra Long Range 2D Imager.
- High performance laser and standard range 2D imager with Datalogic's patented 'Green Spot' technology for good-read feedback.
- Optional 3.1 Megapixel auto-focus camera.
- CCX v4 certified, dual band 802.11 a/b/g/n radio.
- Bluetooth® wireless communications.
- Full shift battery and a choice of 3.5 inch touchscreen displays: QVGA or VGA.
- Parallel processor architecture combines an XScale PXA 310 806 MHz and a Cortex-M3 processor.
- EASEOFCARE Service Plans offer a wide range of service options to protect your investment, ensuring maximum productivity and ROI.

Main specifications:

Display

Display diagonal:	3.5 "
Display resolution:	640 x 480 pixels
Touchscreen:	Y
Display:	TFT
Display number of colours:	65536 colours

Memory

Internal memory:	256 MB
Internal memory type:	RAM
Compatible memory cards:	MicroSD (TransFlash),MicroSDHC
Flash memory:	1024 MB
Processor	
Processor frequency:	806 MHz
Processor family:	PXA 310
Processor manufacturer:	Marvell
Built-in processor:	PXA310
GPS Performance	
GPS (satellite):	N
Software	
Operating system installed:	Windows Embedded Handheld 6.5
Wireless LAN features	
Wi-Fi:	Y
Wi-Fi standards:	802.11a,802.11b,802.11g,802.11n
Data transmission	
Bluetooth:	Y
Data network:	Not supported
Bluetooth version:	2.1+EDR
Camera	
Built-in camera:	Y
Megapixel:	3.1 MP
Auto focus:	Y
Built-in flash:	Y
Audio	
Built-in microphone:	Y
Speakers:	Y
Ports & interfaces	
USB 2.0 ports quantity:	1
RS-232 input ports:	1
Operational conditions	
Storage temperature (T-T):	-30 - 70 °C
Operating temperature (T-T):	-20 - 50 °C
Power	
Battery capacity:	5200 mAh
Battery technology:	Lithium-Ion (Li-Ion)
Weight & dimensions	
Weight:	608 g
Width:	88 mm
Depth:	55 mm
Height:	225 mm
Technical details	
Colour of product:	Black
Phone function:	N
Keyboard layout:	Alphanumeric
International Protection (IP) code:	IP65
Linear (1D) barcodes supported:	GS1-128 (UCC/EAN-128),Intelligent Mail,PLANET,POSTNET,RM4SCC / KIX,U.P.C.
2D (matrix & stacked) barcodes supported:	Aztec Code,Data Matrix,MaxiCode,Micro QR Code,MicroPDF417,PDF417,QR Code
Barcode reader:	Y

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.