

HP RP3 3100 POS terminal (M5U99EA#ABB)

USFF, Intel Celeron 807UE 1GHz, HD Graphics, 4GB 1600MHz DDR3, 128GB SATA SSD, Windows 7 Professional 32-bit, EN



Price details:

Price excl. VAT: 856.20 €

Eco fees: 0.00 €

VAT 21 %: 179.80 €

Product details:

Product code: M5U99EA#ABB

EAN:

Manufacturer: HP

1,036.00 €

* VAT included

PDF generated on: 23 February, 2018



All Retail. No Compromise.

The compact and affordable HP RP3 Retail System provides retailers of all sizes with reliability and connectivity features that help maximize operating cost efficiency.

Compact and flexible for a variety of environments

- Maximize your operating cost efficiency with the affordable price point and compact form factor of the HP RP3 Retail System.
- Deploy as a traditional client or a thin computing platform in distributed store environments. It's an ideal solution for retailers of all sizes.
- Free counter space by placing the system beneath a display, on top of the cash drawer, or underneath the counter. Use in tight spaces, nearly anywhere you need a point of sale system.
- Connect to legacy and newer-generation retail peripherals with a wide range of serial and USB ports. Expand screen real-estate with two displays through the DisplayPort and VGA video ports.
- Support online customer transactions, inventory checks and back office activities with integrated wireless or WLAN network connectivity.

Designed to stand up to everyday wear and tear

- Choose the best type of storage for your environment; either a hard drive or a solid state drive for the durability of no moving parts.
- The sturdy steel chassis is designed for high-performance, high-traffic areas with extensive on-board monitoring and alerts to keep you in the know.
- Extreme environmental and shock testing help ensure the HP RP3 Retail System can withstand the most demanding of retail environments.

Environmentally responsible

- Built to operate in an ambient 40°C environment vs. an average ambient 35°C environment, the HP RP3 can run longer without external cooling - delivering a longer lifespan and more continuous, reliable performance.

Backed by HP

- Ease transitions and reduce support costs with an extended product lifecycle stability plan for consistency in your install base.
- Your investment comes with a three-year limited warranty with on-site, next business-day service for parts and labor.
- Select from a range of HP Care Pack Services to extend service contracts beyond the standard warranty.

Main specifications:

Processor

| | |
|----------------------|---------------|
| Processor frequency: | 1 GHz |
| Processor family: | Intel Celeron |
| Processor model: | 807UE |

| | |
|------------------------------------|---------------------------------|
| Processor cores: | 1 |
| Processor cache: | 1 MB |
| Processor threads: | 1 |
| Motherboard chipset: | Intel HM65 Express |
| Memory | |
| Internal memory: | 4 GB |
| Internal memory type: | DDR3-SDRAM |
| Number of memory slots: | 1 |
| Memory slots type: | SO-DIMM |
| Storage | |
| Total storage capacity: | 128 GB |
| Storage media type: | SSD |
| Hard drive size: | 2.5 " |
| Solid-state drive capacity: | 128 GB |
| Solid-state drive interface: | Serial ATA |
| Graphics | |
| Graphics adapter manufacturer: | Intel |
| Graphics adapter: | HD Graphics |
| Multimedia | |
| Built-in speaker(s): | Y |
| Number of speakers: | 1 |
| Audio system: | HD |
| Card reader integrated: | N |
| Networking | |
| Ethernet LAN: | Y |
| Ethernet LAN data rates: | 10,100,1000 Mbit/s |
| Wi-Fi: | Y |
| Wi-Fi standards: | 802.11a,802.11b,802.11g,802.11n |
| Ports & interfaces | |
| Ethernet LAN (RJ-45) ports: | 1 |
| USB 2.0 ports quantity: | 5 |
| Powered USB: | Y |
| VGA (D-Sub) ports quantity: | 1 |
| DisplayPorts quantity: | 1 |
| Line-in: | Y |
| Line-out: | Y |
| Parallel ports quantity: | 1 |
| RS-232 ports: | 2 |
| PS/2 ports quantity: | 2 |
| RJ-12 ports quantity: | 1 |
| DC-in jack: | Y |
| Design | |
| Chassis type: | USFF |
| Number of 2.5" bays: | 1 |
| Colour of product: | Black |
| Software | |
| Operating system installed: | Windows 7 Professional |
| Operating system architecture: | 32-bit |
| Power | |
| Power supply: | 115 W |
| Operational conditions | |
| Operating relative humidity (H-H): | 10 - 90 % |
| Operating temperature (T-T): | 0 - 40 °C |
| Weight & dimensions | |
| Width: | 284.5 mm |
| Depth: | 271.5 mm |
| Height: | 88.9 mm |
| Packaging content | |
| Mouse included: | N |
| Keyboard included: | N |
| Security | |

Cable lock slot:

Kensington

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.