

HP RP5 Retail System Model 5810 POS terminal (T0F11EA#ABH)

Intel Core i3-4330 (3.5GHz, 4MB), 4GB (1 x 4GB) DDR3 SDRAM, 64GB SATA SSD, Intel HD Graphics 4600, FreeDOS



Price details:

Price excl. VAT: 919.29 €

Eco fees: 0.00 €

VAT 21 %: 193.05 €

Product details:

Product code: T0F11EA#ABH

EAN:

Manufacturer: HP

PDF generated on: 21 June, 2018



1,112.34 €

* VAT included

Get the flexibility and expandability to control everything from the store floor to the back office with the HP RP5 Retail System, Model 5810, an all-around high-performer that meets the rigors of retail environment so you can focus on making sales.

Powered for performance.

- Excel in even the most demanding environments with your choice of operating system, 4th generation Intel® Core processors, 1 and storage to help you take on every retail challenge.
- Get all the storage space you need with your choice of HDDs up to 2 TB, SSDs up to 256 GB, and three drive bays for expanding as your business grows.

Customize your perfect fit.

- Tailor the system to your specific needs with legacy and evolving ports that support a wide range of retail peripherals, 3 and add-ons that offer true flexibility.
- Future-proof your business with a broad selection of ports, including serial, parallel, and up to 14 USB. VGA and DisplayPort ports, with an optional second DisplayPort card, support up to three independent operator or customer-facing displays.

Management and security made easy.

- POS doesn't need to be complicated. Enjoy simple, low-cost management with built-in features that help ensure the security of your customer data and terminals.
- Control more and spend less with Intel® vPro AMT and client management software from HP and LANDesk.

Trust your hardware.

- In the demanding world of retail, you can't afford to slow down. Retail-hardened durability and an oversized cooling system help ensure you don't miss a beat.

Backed by the best.

- Get deployment flexibility with a five-year lifecycle and award-winning HP service and support. A three-year limited warranty comes standard, and additional coverage up to five years is available with optional HP Care Pack Services.

Main specifications:

Processor

Processor frequency:	3.5 GHz
Processor family:	Intel Core i3
Processor model:	i3-4330
Processor cores:	2
Processor cache:	4 MB

Processor threads:	4
System bus rate:	5 GT/s
Motherboard chipset:	Intel Q87
Memory	
Internal memory:	4 GB
Internal memory type:	DDR3-SDRAM
Maximum internal memory:	32 GB
Number of memory slots:	4
Memory slots type:	DIMM
Memory clock speed:	1600 MHz
Storage	
Total storage capacity:	64 GB
Storage media type:	SSD
Solid-state drive capacity:	64 GB
Solid-state drive interface:	Serial ATA
Graphics	
Graphics adapter manufacturer:	Intel
Graphics adapter:	HD Graphics 4600
Multimedia	
Built-in speaker(s):	Y
Number of speakers:	1
Audio system:	HD
Networking	
Ethernet LAN:	Y
Ethernet LAN data rates:	10,100,1000 Mbit/s
Ports & interfaces	
Ethernet LAN (RJ-45) ports:	1
USB 2.0 ports quantity:	5
USB 3.0 (3.1 Gen 1) Type-A ports quantity:	2
DVI port:	Y
VGA (D-Sub) ports quantity:	1
DisplayPorts quantity:	1
DisplayPort version:	1.2
Line-in:	Y
Line-out:	Y
PS/2 ports quantity:	2
RJ-12 ports quantity:	1
Expansion slots	
PCI Express x16 slots:	2
Design	
Chassis type:	SFF
Colour of product:	Black
Number of 3.5" bays:	2
Number of 5.25" bays:	1
Performance	
Trusted Platform Module (TPM):	Y
Trusted Platform Module (TPM) version:	1.2
Software	
Operating system installed:	FreeDOS
Power	
Power consumption (typical):	240 W
Operational conditions	
Operating relative humidity (H-H):	20 - 85 %
Operating temperature (T-T):	10 - 40 °C
Certificates	
Energy Star certified:	Y
Weight & dimensions	
Width:	338 mm
Depth:	379 mm
Height:	100 mm

Weight:	6840 g
Packaging content	
Keyboard included:	Y
Security	
Cable lock slot:	Y
Cable lock slot type:	Kensington

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.