

Hewlett Packard Enterprise ProLiant SL270s server (739056-B21)

Intel® Xeon® E5-2600, 256GB, 16 DIMM slots



Price details:

Price excl. VAT: 2,431.38 €

Eco fees: 0.00 €

VAT 21 %: 510.59 €

Product details:

Product code: 739056-B21

EAN: 0887758775332

Manufacturer: Hewlett Packard Enterprise

PDF generated on: 19 June, 2018



2,941.97 €

Product is discontinued. You can not order it anymore.

* VAT included

The HP ProLiant SL270s Gen8 Server is part of the HP ProLiant SL6500 Scalable System of server solutions designed for the Hyperscale and High Performance Computing (HPC) market segments. It reduces solution costs, maximizes power efficiency, and eases customer serviceability.

The HP ProLiant s6500 Chassis can accommodate two 2U, half-width SL270s Gen8 Servers, each individually serviceable. The SL270s Gen8 is designed for extreme rack level graphics processing unit (GPU) density, with up to 16 GPUs capable of being implemented in one chassis, reducing the complexity of required adapters and cabling.

The chassis features front cabling and common slot power supplies and fans for ease of service. The HP ProLiant SL270s Server is ideal for HPC applications in Oil & Gas, Life Sciences, Manufacturing, Research, and Finance.

Main specifications:

Processor

Processor family:	Unspecified
Processor model:	Unspecified
Number of processors installed:	2
Bus type:	FSB
ECC supported by processor:	N
Idle States:	Y
Thermal Monitoring Technologies:	N
Processor code:	SL8SV
Physical Address Extension (PAE):	32 bit
Conflict Free processor:	N

Memory

Internal memory:	256 GB
Maximum internal memory:	256 GB
Memory slots:	16

Storage

Total storage capacity:	256 GB
Hot-Plug support:	Y
Embedded USB (eUSB) SSD option:	Y

Networking

Ethernet LAN:	Y
---------------	---

Ports & interfaces

Ethernet LAN (RJ-45) ports:	2
-----------------------------	---

Design

Chassis type: Rack (4U)

Processor special features

Intel Rapid Storage Technology:	N
Intel® Wireless Display (Intel® WiDi):	N
Intel Virtualization Technology for Directed I/O (VT-d):	N
Intel® Anti-Theft Technology (Intel® AT):	N
Intel® My WiFi Technology (Intel® MWT):	N
Intel® Turbo Boost Technology:	N
Intel® vPro® Technology:	N
Intel® Quick Sync Video Technology:	N
Intel® InTru® 3D Technology:	N
Intel® Clear Video HD Technology (Intel® CVT HD):	N
Intel® Insider®:	N
Intel Flex Memory Access:	N
Intel® AES New Instructions (Intel® AES-NI):	N
Intel Trusted Execution Technology:	N
Intel VT-x with Extended Page Tables (EPT):	N
Intel Clear Video Technology:	N
Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT for MID):	N
Intel Dual Display Capable Technology:	N
Intel FDI Technology:	N
Intel Fast Memory Access:	N

Weight & dimensions

Width:	220.8 mm
Depth:	819.13 mm
Height:	162.8 mm
Weight:	20870 g

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.