

Hewlett Packard Enterprise ProLiant DL360G9 server (851937-B21)

Intel Xeon E5-2660 v4 (14 core, 2.0 GHz, Cache 35MB), 64 GB (4x16 GB) 2400 RDIMM, LAN 4x1000, SFP+ 10Gb



Price details:

Price excl. VAT: 8,446.96 €

Eco fees: 0.00 €

VAT 21 %: 1,773.86 €

Product details:

Product code: 851937-B21

EAN: 0190017038186

Manufacturer: Hewlett Packard Enterprise

10,220.82 €

* VAT included

PDF generated on: 19 October, 2017



Does your data center need a performance driven dense 1U server that you can confidently deploy for virtualization, data base, or high-performance computing? The HPE ProLiant DL360 Gen9 Server delivers a 1U chassis with up to two processors, delivering an optimal unit that combines high-performance, low energy consumption, improved uptime, and increased density. Leveraging Intel's latest E5-2600 v4 processors with 21% 1 performance gain, plus the latest HPE 2400 MHz DDR4 SmartMemory supporting up to 1.5 TB and up to 23% 2 performance increase.

Manage your DL360 Gen9 Server in any IT environment by automating the most essential server lifecycle management tasks WITH OneView and iLO: deploy, update, monitor and maintain with ease.

Features

Dense and Flexible High-Performance Compute Power

The HPE ProLiant DL360 Gen9 Server has up to (24) HPE DDR4 SmartMemory DIMM slots with up to 1.5 TB max memory, built-in intelligence to improve performance, reduce downtime and energy costs resulting in up to 23% better throughput performance. 2

You have a choice of Embedded 4x1GbE, HP FlexibleLOM, PCIe standup 1 GbE to 40 GbE adapters which provides flexibility of networking bandwidth and fabric so you can adapt and grow to changing business needs.

Achieve greater capacity with flexible drive configuration options with up to ten SFF, four LFF drive along with support for NVMe PCIe SSDs delivering optimal performance, capacity, and reliability to meet various customer segments and workload requirements at the right economics.

HPE Persistent Memory, the world's first Non-volatile DIMM (NVDIMM) optimized on ProLiant, offering unprecedented levels of performance for databases and analytic workloads.

Industry-Leading Energy Efficiency for a Quicker Return on Your Investment

The HPE ProLiant DL360 Gen9 Server supports industry standard Intel® Xeon® E5-2600 v3 and E5-2600 v4 processors with up to 22 cores and 1.5 TB of HPE DDR4 SmartMemory.

The HPE ProLiant DL360 Gen9 Server supports improved ambient temperature standards with HP Extended Ambient Operating Support (ASHRAE A3 and A4) helping to reduce your cooling expenses.

High efficiency redundant HPE Flexible Slot Power Supplies provide up to 96% efficiency (Titanium), HP Flexible Slot Battery Backup module and support for the HPE Power Discovery Services offering.

ENERGY STAR® qualified server configurations illustrate a continued commitment to helping customers conserve energy and save money.

Agile Infrastructure Management for Accelerating IT Service Delivery

With the HPE ProLiant DL360 Gen9 Server, HPE OneView provides infrastructure management for automation

simplicity across servers, storage and networking.

Online personalized dashboard for Converged Infrastructure health monitoring and support management with HPE Insight Online.

Embedded management to deploy, monitor and support your DL360 Gen9 Server remotely, out of band with HPE iLO.

Configure in Unified Extensible Firmware Interface (UEFI) boot mode, provision local and remote with Intelligent Provisioning and Scripting Toolkits.

Optimize firmware and driver updates and reduce downtime with Smart Update, consisting of Smart Update Manager (SUM) and Service Pack for ProLiant (SPP).

Industry Leading Serviceability

The HPE ProLiant DL360 Gen9 Server comes with a complete set of Technology Services, delivering confidence, reducing risk and helping customers realize agility and stability. HPE provides consulting to transform your infrastructure; services to deploy, migrate and support your new ProLiant Servers.

HPE provides consulting advice to transform and modernize your infrastructure; services to deploy, migrate and support your new ProLiant servers and education to help you succeed quickly.

Worldwide availability, service and support for customers who have multiple data centers in multiple countries.

Main specifications:

Processor

Processor frequency:	2 GHz
Processor family:	Intel Xeon E5 v4
Processor model:	E5-2660V4
Processor cores:	14
Number of processors installed:	2
Processor cache type:	Smart Cache
Processor cache:	35 MB
System bus rate:	9.6 GT/s
Processor socket:	LGA 2011-v3
Processor boost frequency:	3.2 GHz
Processor lithography:	14 nm
Processor threads:	24
Processor operating modes:	64-bit
Stepping:	M0
Bus type:	QPI
Number of QPI links:	2
Processor codename:	Broadwell
Tcase:	79 °C
Memory types supported by processor:	DDR4-SDRAM
Memory clock speeds supported by processor:	1600,1866,2133,2400 MHz
Memory bandwidth supported by processor (max):	76.8 GB/s
Memory channels supported by processor:	Quad
ECC supported by processor:	Y
Execute Disable Bit:	Y
Idle States:	Y
Thermal Monitoring Technologies:	Y
Maximum number of PCI Express lanes:	40
Processor package size:	52.5 x 45 mm
Supported instruction sets:	AVX 2.0
Processor code:	SR2N4
Scalability:	2S
Physical Address Extension (PAE):	Y
Physical Address Extension (PAE):	46 bit
Embedded options available:	N
Thermal Design Power (TDP):	105 W
Processor series:	Intel Xeon E5-2600 v4
Conflict Free processor:	Y

Memory

Internal memory:	64 GB
Internal memory type:	DDR4-SDRAM
Memory slots:	24
Memory clock speed:	2400 MHz
Memory layout (slots x size):	4 x 16 GB
Storage	
Hard drive interface:	Serial Attached SCSI (SAS)
Number of hard drives supported:	8
Networking	
Ethernet LAN:	Y
Cabling technology:	10/100/1000Base-T(X)
Ethernet interface type:	Gigabit Ethernet
Ports & interfaces	
USB 2.0 ports quantity:	1
VGA (D-Sub) ports quantity:	2
Ethernet LAN (RJ-45) ports:	4
USB 3.0 (3.1 Gen 1) Type-A ports quantity:	3
Expansion slots	
PCI Express slots version:	3.0
Design	
Chassis type:	Rack (1U)
Performance	
Compatible operating systems:	Microsoft Windows ServerRed Hat Enterprise Linux (RHEL)SUSE Linux Enterprise Server (SLES)Canonical UbuntuOracle LinuxCentOSVMwareCitrix XenServerOracle SolarisWind River Linux
Processor special features	
CPU configuration (max):	2
Enhanced Intel SpeedStep Technology:	Y
Intel® Identity Protection Technology (Intel® IPT):	Y
Intel Virtualization Technology for Directed I/O (VT-d):	Y
Intel® Hyper Threading Technology (Intel® HTTechnology):	Y
Intel® Turbo Boost Technology:	2.0
Intel® vPro®#8482; Technology:	Y
Intel Flex Memory Access:	N
Intel® AES New Instructions (Intel® AES-NI):	Y
Intel Trusted Execution Technology:	Y
Intel Enhanced Halt State:	Y
Intel VT-x with Extended Page Tables (EPT):	Y
Intel Demand Based Switching:	Y
Intel® Secure Key:	Y
Intel TSX-NI:	Y
Intel® OS Guard:	Y
Intel 64:	Y
Intel Virtualization Technology (VT-x):	Y
Processor ARK ID:	91772
Power	
Redundant power supply (RPS) support:	Y
Power supply:	800 W
Number of redundant power supplies installed:	2
Certificates	
Energy Star certified:	Y
Weight & dimensions	
Width:	434.7 mm
Depth:	275 mm
Height:	16.9 mm

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.