

Honeywell Thor VM2 tablet (VM2W2F1A1AET0SA)

Thor VM2 - 9.7" (246 mm) XGA (1024x768) LED, Intel Atom Z530 1.6GHz, 2GB DDR2 SDRAM, 32GB + 4GB Database Flash, Intel GMA 500, 802.11a/b/g/n, Int WLAN Antenna Connections, Windows 7 Pro, ETSI



Price details:

Price excl. VAT: 2,741.12 €

Eco fees: 0.00 €

VAT 21 %: 575.64 €

Product details:

Product code: VM2W2F1A1AET0SA

EAN:

Manufacturer: Honeywell

3,316.76 €

* VAT included

PDF generated on: 22 June, 2018

Solidifying Honeywell's position as the leader in vehicle-mount computing, the Thor VM2 builds on the best-in-class Thor VM1 that was created specifically to address the unique challenges of supply chain applications.

Ideally suitable for warehouse, port and yard process automation, the Thor VM2 introduces an additional form factor option granting greater flexibility which is emphasized by its 9.7" XGA display, programmable multi-function keys, and WLAN and WWAN connectivity. Available with Microsoft Windows CE 6.0, Windows 7 Pro, Windows Embedded Standard 7 and Windows Embedded Standard 2009 operating systems and compatible with many industry standard terminal emulation and web browser applications including the popular Honeywell RFTerm TE, the Thor VM2 is built for simple and easy application development and system integration.

Ignition Control:

Eliminates the maintenance expense and lost productivity caused by a dead vehicle battery; unit can be configured to automatically go into standby or hibernate at a selectable time after the ignition switch is turned off, saving time for associates while eliminating a point of concern for warehouse management

Smart Dock:

Enables mounting and removal in seconds like a laptop dock but with the ruggedness and sealing required for industrial applications; maximizes efficiency by dynamically shifting workers and computers as the workload changes, while minimizing maintenance cost by enabling a computer to be shifted from one vehicle to another in 1/6 the standard time

Field-Replaceable Front Panel:

Reduces capital and maintenance cost by integrating the two most wear and abuse prone components, the keyboard and touchscreen, into a user-replaceable part; reduces capital costs by substituting spare front panels for spare computers.

Main specifications:

Display

| | |
|---------------------|-------------------|
| Display diagonal: | 9.7 " |
| Display resolution: | 1024 x 768 pixels |
| LED backlight: | Y |
| Touchscreen: | Y |

Processor

| | |
|----------------------|------------|
| Processor frequency: | 1.6 GHz |
| Processor family: | Intel Atom |
| Processor model: | Z530 |
| Processor cores: | 1 |
| Processor cache: | 0.512 MB |

| | |
|--|---|
| Processor front side bus: | 533 MHz |
| Bus type: | FSB |
| Conflict Free processor: | N |
| CPU multiplier (bus/core ratio): | 12 |
| FSB Parity: | N |
| Processing Die size: | 26 mm ² |
| Processor cache type: | L2 |
| Processor code: | SLB6P |
| Processor codename: | Silverthorne |
| Processor lithography: | 45 nm |
| Processor operating modes: | 32-bit |
| Processor package size: | 13 mm |
| Processor threads: | 2 |
| Scenario Design Power (SDP): | 0.96 W |
| Stepping: | C0 |
| Supported instruction sets: | SSE2,SSE3,SSSE3 |
| Tjunction: | 90 °C |
| Thermal Design Power (TDP): | 2 W |
| Thermal Monitoring Technologies: | Y |
| Number of Processing Die Transistors: | 47 M |
| Processor ARK ID: | 35463 |
| Memory | |
| Internal memory: | 2 GB |
| Internal memory type: | SDRAM |
| Storage | |
| Internal storage capacity: | 36 GB |
| Card reader integrated: | Y |
| Compatible memory cards: | SD |
| Storage media: | Flash |
| Graphics | |
| Graphics adapter family: | Intel |
| Graphics adapter: | GMA 500 |
| Audio | |
| Built-in speaker(s): | Y |
| Built-in microphone: | Y |
| Camera | |
| Rear camera: | N |
| Front camera: | N |
| Video recording: | N |
| Networking | |
| 3G: | N |
| Bluetooth: | N |
| Top Wi-Fi standard: | IEEE 802.11n |
| 4G: | N |
| Wi-Fi standards: | IEEE 802.11a,IEEE 802.11b,IEEE 802.11g,IEEE 802.11n |
| Ports & interfaces | |
| Headphone out: | Y |
| USB 2.0 ports quantity: | 1 |
| Design | |
| Form factor: | Slate |
| Colour of product: | Grey,Silver |
| Performance | |
| Position location: | N |
| GPS (satellite): | N |
| Software | |
| Operating system installed: | Windows 7 Pro |
| Processor special features | |
| Intel® Turbo Boost Technology: | N |
| Intel® Hyper Threading Technology (Intel® HTTechnology): | |
| Enhanced Intel SpeedStep Technology: | Y |
| Embedded options available: | Y |

| | |
|--|---|
| Execute Disable Bit: | Y |
| Idle States: | Y |
| Intel 64: | N |
| Intel Enhanced Halt State: | Y |
| Intel Trusted Execution Technology: | N |
| Intel Virtualization Technology (VT-x): | Y |
| Intel Virtualization Technology for Directed I/O (VT-d): | Y |
| Intel Demand Based Switching: | Y |

Battery

| | |
|---------------------|----------------------|
| Battery technology: | Lithium-Ion (Li-Ion) |
|---------------------|----------------------|

Weight & dimensions

| | |
|---------|--------|
| Width: | 268 mm |
| Depth: | 53 mm |
| Height: | 214 mm |
| Weight: | 2200 g |

Operational conditions

| | |
|------------------------------|-------------|
| Operating temperature (T-T): | -20 - 50 °C |
| Storage temperature (T-T): | -20 - 50 °C |

Packaging content

| | |
|--------------------|---|
| Keyboard included: | N |
|--------------------|---|

Other features

| | |
|-------------------------|---------|
| Processor socket: | PBGA441 |
| Speakers: | Stereo |
| Wi-Fi: | Y |
| Processor manufacturer: | Intel |