

Honeywell Dolphin 6500 handheld mobile computer (6500EP11222E0H)

8.89 cm (3.5 ") LCD 240 x 320 px, Marvell XScale PXA300 624 MHz, 256MB RAM, Touchscreen, 28-key, 802.11b/g, Bluetooth 2.0+EDR, USB 1.1, RS-232, 377 g, Black, Windows Embedded Handheld 6.5



Price details:

Price excl. VAT: 997.13 €

Eco fees: 0.00 €

VAT 21 %: 209.40 €

Product details:

Product code: 6500EP11222E0H

EAN:

Manufacturer: Honeywell

1,206.53 €

* VAT included

PDF generated on: 13 December, 2017

Dolphin® 6500 Mobile Computer

Honeywell's Dolphin® 6500 is a lightweight and versatile mobile computer that provides advanced data collection and real-time wireless communication for in-premise applications in retail, grocery and light-industrial supply chain environments. Multiple keypad options-the 28-key numeric and the 52-key alphanumeric-are available to customize user preference and support various applications. Built to resist damage from dust, dirt and accidental drops, the 6500 mobile computer is ideal for mobile operators working in tough environmental conditions.

- Remote MasterMind® Ready: Reduces total cost of ownership by providing a turnkey remote device management solution that easily manages and tracks usage of installed devices.
- Designed for diverse application needs: Large, color touch screen display and multiple keypad options offer easy, flexible solutions to meet key- or graphics-based data entry requirements.
- Real-Time Wireless Communication: Advanced integrated 802.11b/g technology delivers real-time network access to critical information and supports advanced wireless security standards.
- Class-leading PXA300 Microprocessor: Supports both Microsoft® Windows Embedded Handheld 6.5 and Windows CE 5.0 platforms.
- Shift-PLUS Power Management: Powers scan intensive, real-time wireless applications continuously for 10 hours or more, enhancing productivity while greatly extending useful battery life and reducing replacement costs.
- Versatile, High Performance Data Collection: Adaptus® Imaging Technology 5.5 reads linear and 2D bar codes, captures digital images, and enables electronic signature capture-enabling workers to do more with a single device.
- Optional Slide-on Handle Accessory: Provides a productivity-enhancing solution for applications that require high volume scanning such as inventory management and stock replenishment.
- Scanning Flexibility: Available with laser scan engine for users with linear scanning needs only.

Main specifications:

Display

| | |
|----------------------------|------------------|
| Display diagonal: | 3.5 " |
| Display resolution: | 240 x 320 pixels |
| Touchscreen: | Y |
| Display: | LCD |
| External display: | N |
| Display number of colours: | 65536 colours |

Memory

| | |
|--------------------------|--------|
| Internal memory: | 256 MB |
| Internal memory type: | RAM |
| Compatible memory cards: | SDHC |

| | |
|------------------------------------|---|
| Flash memory: | 256 MB |
| Processor | |
| Processor frequency: | 624 MHz |
| Processor family: | X-Scale |
| Processor manufacturer: | Marvell |
| Built-in processor: | PXA 300 |
| GPS Performance | |
| GPS (satellite): | N |
| Software | |
| Operating system installed: | Windows Embedded Handheld 6.5 |
| Wireless LAN features | |
| Wi-Fi: | Y |
| Wi-Fi standards: | 802.11b,802.11g |
| Security algorithms: | 802.1x,RADIUS,CCX v4,EAP,EAP-TLS,EAP-TTLS,LEAP,MD5,PEAP,TKIP,WPA-PSK,WPA2 |
| Data transmission | |
| Bluetooth: | Y |
| Bluetooth version: | 2.0+EDR |
| Audio | |
| Built-in microphone: | Y |
| Speakers: | Y |
| Operational conditions | |
| Storage temperature (T-T): | -20 - 70 °C |
| Operating relative humidity (H-H): | 0 - 95 % |
| Operating temperature (T-T): | -10 - 50 °C |
| Power | |
| Battery capacity: | 3300 mAh |
| Battery technology: | Lithium-Ion (Li-Ion) |
| Battery life (max): | 12 h |
| Battery recharge time (off): | 6 h |
| Weight & dimensions | |
| Weight: | 377 g |
| Width: | 83 mm |
| Depth: | 200 mm |
| Height: | 41 mm |
| Technical details | |
| Colour of product: | Black |
| RFID reader: | N |
| Barcode reader: | Y |

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.