

# Honeywell Thor VM1 handheld mobile computer (VM1C1A3A2AET01A)

20.32 cm (8 ") WVGA, Intel Atom Z530 1.6 GHz, 1 GB DDR2 SDRAM, 1 GB Flash, Intel GMA 500, GSM & CDMA, GPS, 802.11 a/b/g, Bluetooth, 1x USB 2.0, 1x USB 1.1, 2x RS-232, CAN-bus, RF, SD, 2.1 kg, Outdoor, ANSI, Int WLAN, Windows CE 6.0, ETSI



## Price details:

Price excl. VAT: 2,445.68 €

Eco fees: 0.00 €

VAT 21 %: 513.59 €

## Product details:

Product code: VM1C1A3A2AET01A

EAN:

Manufacturer: Honeywell

**2,959.27 €**

\* VAT included

PDF generated on: 23 June, 2018

The mid-size Thor VM1 computer provides unprecedented flexibility for your supply chain operations. It combines a 20.32 cm (8 in) display with breakthrough innovations that deliver rapid value for your workflows.

### Smart Dock

Lets you mount and remove the VM1 in seconds, saving on support and maintenance costs while maximizing efficiency.

### Field-Replaceable Front Panel

Reduces maintenance cost by allowing you to service the most wear- and abuse-prone components yourself.

### Ignition Control

Eliminates the maintenance expense and lost productivity caused by a dead vehicle battery.

### Maximum Flexibility

Modular components, like an optional keyboard and screen defroster, give you multiple mounting possibilities.

### Versatile

Can be deployed in multiple application environments - from dry goods to cold storage, indoor or outdoor, in-premise or in intermodal facilities.

### Powerful

Features a fast 1.6 GHz Atom Z530 processor, support for Microsoft® Windows® CE 6.0 or WES 2009 operating systems, and WWAN, WLAN & Bluetooth® wireless connectivity.

### Cold Storage Capable

Optional touchscreen defroster extends application to cold storage environments.

### Rugged

Backed by a durable IP66-rated design, the Thor VM1 computer is engineered to withstand the shock, vibration and ruggedness demands only a forklift can create.

### Optional Screen Blanking

Restricts driver access to the screen when the vehicle is in motion to comply with the highest safety standards.

---

Main specifications:

Display

Display diagonal: 8 "  
Display resolution: 800 x 480 pixels  
Touchscreen: Y  
Display: LED

Memory

Internal memory: 1024 MB  
Internal memory type: DDR2  
Compatible memory cards: SD  
Flash memory: 1024 MB  
Maximum memory card size: 4 GB

Processor

Processor frequency: 1.6 MHz  
Processor family: Atom  
Processor manufacturer: Intel  
Built-in processor: Y  
Processor front side bus: 533 MHz  
L2 cache: 512 MB

GPS Performance

GPS (satellite): Y

Software

Operating system installed: Windows CE 6.0  
Bundled software: DCWedge barcode wedge

Wireless LAN features

Wi-Fi: Y  
Wi-Fi standards: IEEE 802.11a, IEEE 802.11b, IEEE 802.11g  
Security algorithms: EAP-FAST, EAP-TLS, PEAP, WEP, WPA-TKIP, WPA2-AES

Data transmission

Bluetooth: Y  
Data network: CDMA, GSM  
Bluetooth version: 2.0+EDR

Camera

Built-in camera: N

Audio

Built-in microphone: Y  
Speakers: Stereo

Video

Graphics adapter manufacturer: Intel  
Graphics adapter: Intel GMA 500

Ports & interfaces

Headphone outputs: 1  
USB 2.0 ports quantity: 1  
RS-232 input ports: 2  
I/O ports: 1x USB 1.1, CAN-bus, DC in, RF

Operational conditions

Storage temperature (T-T): -30 - 60 °C  
Operating relative humidity (H-H): -5 - 95 %  
Operating temperature (T-T): -20 - 50 °C

Power

Battery technology: Lithium-Ion (Li-Ion)  
AC adapter input voltage: 90 - 240 V  
Battery life (max): 0.5 h

Weight & dimensions

|         |        |
|---------|--------|
| Weight: | 2100 g |
| Width:  | 268 mm |
| Depth:  | 43 mm  |
| Height: | 214 mm |

#### Technical details

|                                     |   |
|-------------------------------------|---|
| Colour of product:                  | Black,Grey                                  |
| Certification:                      | EN 55024:1998, MIL-STD-810F, SAE-J1455, CCX |
| International Protection (IP) code: | IP66  |

\*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.