

Intermec SR61 (SR61BHP-CB-001)

SR61BHP-CB-001 HP SCANNER, BATTERY, CHARGE BASE, PS (SR61BHP Scanner kit, includes charge base and power supply (order AC line cord separately))



Price details:

Price excl. VAT: 594.52 €

Eco fees: 0.30 €

VAT 21 %: 124.91 €

Product details:

Product code: SR61BHP-CB-001

EAN: 0768497748309

Manufacturer: Intermec

719.73 €

* VAT included

PDF generated on: 18 December, 2018



Dependable linear scanning in a dependable package. Tested to exceed industrial and military specifications, you can rely on SR61 in the most demanding environments. Let downtime be a thing of the past

Specifications

- Rugged: designed to withstand 26 drops to concrete or steel from 6.5 feet, hot and cold temperature extremes, constant forklift vibration and windblown dust and rain.
- Easy to use: bright LED aimer makes targeting bar codes fast and efficient.
- Ergonomic: comfort grip and trigger location improve operator efficiency
- Fast: full speed USB 2.0 wired or Bluetooth® wireless interface to quickly transfer bar code data images to host system.

Main specifications:

Scanning

Scanner type:	1D/2D
Sensor type:	Linear
Linear (1D) barcodes supported:	Code 128, Code 39, Code 93, GS1 DataBar Expanded, GS1 DataBar Omnidirectional, PDF417
2D (matrix & stacked) barcodes supported:	GS1 DataBar Expanded Stacked, GS1 DataBar Stacked Omnidirectional, MicroPDF417, PDF417, TLC-39
Working distance:	700 mm
Light levels (direct sunlight):	0 - 100000 lx

Ports & interfaces

Connectivity technology:	Wired & Wireless
Interface:	USB + RS-232 + Bluetooth
Wireless range:	30 m
USB version:	2.0
Bluetooth version:	2.1+EDR

Design

Colour of product:	Black, Blue
Type:	Handheld bar code reader
International Protection (IP) code:	IP54

Power

Power source type:	Battery
Input voltage:	5 V
Input frequency:	2.4 Hz

Operational conditions

Operating temperature (T-T):	-30 - 50 °C
------------------------------	-------------

Storage temperature (T-T):	-40 - 70 °C
Operating relative humidity (H-H):	5 - 95 %

Weight & dimensions

Weight:	425 g
Width:	70 mm
Depth:	178 mm
Height:	114 mm