

# OKI C712n (46406103)

600 x 1200 dpi, TCP/IP, 435 x 604 x 389 mm, 54 dBA



## Price details:

Price excl. VAT: 682.17 €

Eco fees: 0.04 €

VAT 21 %: 143.26 €

## Product details:

Product code: 46406103

EAN: 5031713069164

Manufacturer: OKI

**825.47 €**

\* VAT included

PDF generated on: 11 December, 2018

**OKI**  
Open up your dreams

The C712 is an A4 colour printer that gets the job done quickly, reliably and to an outstandingly high print quality.

### Great media flexibility

Print business documents, banners and marketing collateral with ease

### Important security

Keep documents confidential and access stored print jobs when required

### Advanced connectivity

What every busy office needs

### Cost and energy saving

Low power consumption and duplex printing as standard

A powerful A4 colour printer you can rely on for the fast production of top quality output - from everyday mono documents to high-end marketing collateral at a surprisingly low cost per page. The C712 is ideal for workgroups within an enterprise, working to tight deadlines. It's easy to use and offers exceptional media flexibility, alongside robust security features for more sensitive work.

Great media flexibility - Print business documents, banners and marketing collateral with ease

Exceptional media flexibility makes it easy to use the versatile C712 for printing office documents as well as a wide range of other requirements such as business stationery, banners and marketing collateral.

- Flexible media handling - print from A6 to 1.3m banners and card stock up to 250gsm
- Standard paper supply of 300 sheets and two optional paper trays mean paper capacity can be increased to up to 1,690 sheets
- Auto-sensing 100-sheet multi-purpose tray (MPT) for different paper types
- Outstanding High Definition ProQ2400 multi-level output quality and 1200 x 600dpi print resolution
- Microfine High Definition toner for superb print quality

## Advanced connectivity - What every busy office needs

Ideal for individuals and workgroups, the network-ready C712 is easily shared. Mobile printing from smartphones or tablets is also available.

- Google Cloud Print 2.0 ready, enabling printing on the move
- Gigabit Ethernet enables fast transfer of large colour files across the network
- Wireless Direct offers safe simultaneous connection of wired and wireless networking
- Optional Wireless LAN Module available

Important security - Keep documents confidential and access stored print jobs when required

The C712 offers security and encryption to the highest industry standards with sophisticated user authentication to prevent unauthorised access and protect corporate data.

- Keep documents confidential with Private Print and optional Card Release#, so users can view all print jobs before selecting which ones to print
- Internet Protocol Security (IPSec) compliance, ensuring securing that documents are safely sent and received

Cost and energy saving - Low power consumption and duplex printing as standard

Affordable and with cost-saving features included as standard, the C712 offers low total cost-of-ownership, low cost-per-page printing and energy-saving features.

- LED technology means no moving parts for a longer life
- Deep Sleep mode saves energy, Auto-Off mode automatically powers down to less than 0.5W when not in use
- Toner Save to reduce cost, when printing draft or internal documents
- Duplex printing as standard (optional on the C712n) reduces unnecessary paper usage
- Free consumables recycling programme

---

## Main specifications:

### Print technology

Colour:	Y
Maximum resolution:	1200 x 600 DPI
Maximum duty cycle:	100000 pages per month
Duplex printing:	O
Number of print cartridges:	4
Standard printer languages:	Epson FX, IBM ProPrinter, Microsoft XPS, PCL 5c, PCL 6, PDF 1.7, PostScript 3, SIDM
Print technology:	LED
Print resolution colour:	1200 x 600 DPI
Printing colours:	Black, Cyan, Magenta, Yellow
Recommended duty cycle:	0 - 6000 pages per month

### Printing

Print speed (black, normal quality, A4/US Letter):	36 ppm
Print speed (colour, normal quality, A4/US Letter):	34 ppm
Warm-up time:	60 s
Time to first page (black, normal):	8 s
Time to first page (colour, normal):	9 s
Secure printing:	Y

### Input capacity

Standard input capacity:	530 sheets
Maximum input capacity:	1690 sheets
Multi-Purpose tray capacity:	100 sheets
Number of standard paper trays:	1
Maximum number of paper trays:	3
Paper input type:	Paper tray
Input capacity (tray 2):	530 sheets

### Output capacity

Standard output capacity:	100 sheets
Maximum output capacity:	350 sheets

### Paper handling

Maximum ISO A-series paper size:	A4
ISO A-series sizes (A0...A9):	A4,A5,A6
Multi-purpose tray media types:	Envelopes,Labels
ISO B-series sizes (B0...B9):	B5
Envelopes sizes:	9,10,C5,DL,Monarch
Standard tray media weight:	64 - 220 g/m <sup>2</sup>
Multi-Purpose Tray media weight:	64 - 250 g/m <sup>2</sup>
Duplex media weight:	64 - 220 g/m <sup>2</sup>
Custom media width:	148 - 215.9 mm
Custom media length:	210 - 355.6 mm
<b>Networking</b>	
Ethernet LAN:	Y
Mobile printing technologies:	Google Cloud Print
Wi-Fi standards:	IEEE 802.11a,IEEE 802.11b,IEEE 802.11g,IEEE 802.11n
<b>Ports &amp; interfaces</b>	
Standard interfaces:	Ethernet,USB 2.0
Optional connectivity:	Wireless LAN
Direct printing:	Y
<b>Memory</b>	
Internal memory:	256 MB
Maximum internal memory:	768 MB
Compatible memory cards:	SDHC
<b>Design</b>	
Colour of product:	Black,White
Built-in display:	Y
<b>Power</b>	
Power consumption (typical):	600 W
AC input voltage:	220-240 V
AC input frequency:	50/60 Hz
Power consumption (max):	1300 W
Power consumption (PowerSave):	15 W
<b>Sound emission</b>	
Printing noise level:	54 dB
Noise level (idle):	37 dB
<b>System requirements</b>	
Windows operating systems supported:	Windows 10 Education,Windows 10 Education x64,Windows 10 Enterprise,Windows 10 Enterprise x64,Windows 10 Home,Windows 10 Home x64,Windows 10 Pro,Windows 10 Pro x64,Windows 7 Enterprise,Windows 7 Enterprise x64,Windows 7 Home Basic,Windows 7 Home Basic x64,Windows 7 Home Premium,Windows 7 Home Premium x64,Windows 7 Professional x64,Windows 7 Starter,Windows 7 Starter x64,Windows 7 Ultimate,Windows 7 Ultimate x64,Windows 8,Windows 8 Enterprise,Windows 8 Enterprise x64,Windows 8 Pro,Windows 8 Pro x64,Windows 8 x64,Windows 8.1,Windows 8.1 Enterprise,Windows 8.1 Enterprise x64,Windows 8.1 Pro,Windows 8.1 Pro x64,Windows 8.1 x64,Windows Vista Business,Windows Vista Business x64,Windows Vista Enterprise,Windows Vista Enterprise x64,Windows Vista Home Basic,Windows Vista Home Basic x64,Windows Vista Home Premium,Windows Vista Home Premium x64,Windows Vista Ultimate,Windows Vista Ultimate x64
Mac operating systems supported:	Mac OS X 10.10 Yosemite,Mac OS X 10.11 El Capitan,Mac OS X 10.9 Mavericks
Server operating systems supported:	Windows Server 2008,Windows Server 2008 R2,Windows Server 2008 R2 x64,Windows Server 2008 x64,Windows Server 2012,Windows Server 2012 R2,Windows Server 2012 R2 x64,Windows Server 2012 x64
<b>Certificates</b>	
Energy Star certified:	Y
Certification:	Energy Star, EMC-Directive, CE Mark, GS Mark, CCC Mark
<b>Operational conditions</b>	
Operating temperature (T-T):	10 - 32 °C
Storage temperature (T-T):	-10 - 43 °C
Operating relative humidity (H-H):	20 - 80 %
Storage relative humidity (H-H):	10 - 90 %
<b>Weight &amp; dimensions</b>	

Width:	435 mm
Depth:	547 mm
Height:	389 mm
Weight:	29000 g

#### Packaging content

Cartridge(s) included:	Y
Power cord included:	Y
Manual:	Y

#### Other features

Supported protocols:	TCP/IPv4&v6, NetBIOS over TCP, DHCP, DHCPv6, BOOTP, HTTP, HTTPS, DNS, DDNS, WINS, UPNP, Bonjour, SMTP, POP3, SNMPv1&v3, SNTP, IPP, IPPS, WSD Print, LLTD, IEEE802.1X, LPR, Port9100, Telnet, FTP, Google Cloud Print, Wireless IEEE802.11a/b/g/n, WEP, WPA, WPA2, Personal, Enterprise
----------------------	--

\*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.