

Toshiba Tecra Z50-C-11E (PT571E-01J004BT)



Price details:

Price excl. VAT: 1,070.38 €

Eco fees: 0.19 €

VAT 21 %: 224.82 €

Product details:

Product code: PT571E-01J004BT

EAN: 4051528230550

Manufacturer: Toshiba

PDF generated on: 18 October, 2017

TOSHIBA
Leading Innovation >>>**1,295.39 €**

* VAT included

/

Main specifications:

Design

Colour of product:	Grey, Metallic
Product type:	Notebook
Form factor:	Clamshell

Display

Display diagonal:	15.6 "
Display resolution:	1920 x 1080 pixels
Touchscreen:	N
LED backlight:	Y
HD type:	Full HD
Aspect ratio:	16:9
Panel type:	IPS

Processor

Processor frequency:	2.3 GHz
Processor family:	Intel Core i5-6xxx
Processor model:	i5-6200U
Processor boost frequency:	2.8 GHz
Processor cores:	2
Processor threads:	4
System bus rate:	4 GT/s
Processor cache:	3 MB
Processor socket:	LGA 1356 (Socket B2)
Processor cache type:	Smart Cache
Processor lithography:	14 nm
Processor operating modes:	64-bit
Stepping:	D1
Bus type:	QPI
Processor codename:	Skylake
Thermal Design Power (TDP):	15 W
Processor series:	Intel Core i5-6200 series
FSB Parity:	N
Maximum number of PCI Express lanes:	12
PCI Express slots version:	3.0
PCI Express configurations:	1x4,4x1
Configurable TDP-down:	7.5 W
Tjunction:	100 °C

Configurable TDP-down frequency: 800 MHz
Conflict Free processor: Y
ECC supported by processor: N

Memory

Internal memory: 8 GB
Internal memory type: DDR3L-SDRAM
Maximum internal memory: 16 GB
Memory clock speed: 1600 MHz
Memory layout (slots x size): 1 x 8 GB
Memory slots: 2x SO-DIMM

Storage

Total storage capacity: 128 GB
Storage media: SSD
Card reader integrated: Y
Number of SSDs installed: 1
Solid-state drive capacity: 128 GB
Compatible memory cards: MMC,SD,SDHC,SDXC

Graphics

On-board graphics adapter: Y
Discrete graphics adapter: N
On-board graphics adapter model: Intel HD Graphics 520
Discrete graphics adapter model: Not available
On-board graphics adapter family: Intel HD Graphics
On-board graphics adapter base frequency: 300 MHz
On-board graphics adapter dynamic frequency: 1000 MHz
Maximum on-board graphics adapter memory: 1.74 GB
Number of displays supported (on-board graphics): 3
On-board graphics adapter DirectX version: 12
On-board graphics adapter OpenGL version: 4.4
On-board graphics adapter ID: 1916

Audio

Audio system: DTS Studio Sound
Number of built-in speakers: 2
Built-in microphone: Y

Camera

Front camera: Y
Front camera resolution (numeric): 2 MP
Front camera resolution: 1980 x 1080 pixels

Optical drive

Optical drive type: N

Networking

Bluetooth: Y
3G: Y
4G: Y
Wi-Fi: Y
Wi-Fi standards: IEEE 802.11a,IEEE 802.11ac,IEEE 802.11b,IEEE 802.11g,IEEE 802.11n
Ethernet LAN: Y
Ethernet LAN data rates: 10,100,1000 Mbit/s
Bluetooth version: 4.1
2G standards: EDGE,GPRS,GSM
3G standards: HSPA+
4G standard: LTE

Ports & interfaces

USB 3.0 (3.1 Gen 1) Type-A ports quantity: 4
HDMI ports quantity: 1
VGA (D-Sub) ports quantity: 1
DVI port: N
Ethernet LAN (RJ-45) ports: 1
Combo headphone/mic port: Y
Docking connector: Y
DC-in jack: Y
SmartCard slot: Y
USB Sleep-and-Charge: Y

USB Sleep-and-Charge ports:	1
Performance	
Accelerometer:	Y
Keyboard	
Numeric keypad:	Y
Pointing device:	Clickpad
Keyboard number of keys:	102
Windows keys:	Y
Software	
Operating system installed:	Windows 7 Professional
Recovery operating system:	Windows 10 Pro
Bundled software:	DTS Sound McAfee LiveSafeTOSHIBA Eco Utility TOSHIBA PC Health Monitor
Trial software:	Microsoft Office

Processor special features	
Intel® Wireless Display (Intel® WiDi):	Y
Intel® My WiFi Technology (Intel® MWT):	Y
Intel® Anti-Theft Technology (Intel® AT):	N
Intel® Smart Response Technology:	Y
Intel® Identity Protection Technology (Intel® IPT):	
Intel® vPro® Technology:	N
Intel® Hyper Threading Technology (Intel® HT Technology):	
Intel® Turbo Boost Technology:	2.0
Intel® Small Business Advantage (Intel® SBA):	Y
Enhanced Intel SpeedStep Technology:	Y
Intel® Clear Video HD Technology (Intel® CVT HD):	
Intel Clear Video Technology:	Y
Intel® InTru™ 3D Technology:	Y
Intel® Insider™:	Y
Intel® Quick Sync Video Technology:	Y
Intel Flex Memory Access:	Y
Intel® Smart Cache:	Y
Intel® AES New Instructions (Intel® AES-NI):	Y
Intel Trusted Execution Technology:	N
Intel Enhanced Halt State:	Y
Intel VT-x with Extended Page Tables (EPT):	Y
Intel Demand Based Switching:	N
Intel® Secure Key:	Y
Intel TSX-NI:	Y
Intel Stable Image Platform Program (SIPP):	N
Intel® OS Guard:	Y
Intel Software Guard Extensions (Intel SGX):	1
Intel® Clear Video Technology for Mobile Internet Devices (Intel CVT for MID):	
Intel 64:	Y
Execute Disable Bit:	Y
Idle States:	Y
Thermal Monitoring Technologies:	Y
Processor package size:	42 mm
Supported instruction sets:	SSE4.1,SSE4.2,AVX 2.0
Processor code:	SR2EY
CPU configuration (max):	1
Embedded options available:	N
Graphics & IMC lithography:	14 nm
Intel Virtualization Technology for Directed I/O (VT-d):	Y
Intel Smart Response Technology version:	1.00
Intel Stable Image Platform Program (SIPP) version:	0.00
Intel Secure Key Technology version:	1.00
Intel Small Business Advantage (SBA) version:	1.00
Intel TSX-NI version:	1.00
Intel Virtualization Technology (VT-x):	Y
Intel Dual Display Capable Technology:	N
Intel FDI Technology:	N
Intel Rapid Storage Technology:	N
Intel Fast Memory Access:	N
Processor ARK ID:	88193

Battery

Battery technology:	Lithium-Ion (Li-Ion)
Number of battery cells:	4
Battery life (max):	6 h
Power	
AC adapter input voltage:	100 - 240 V
AC adapter output current:	2.37 A
AC adapter output voltage:	19 V
Security	
Cable lock slot type:	Kensington
Fingerprint reader:	Y
Trusted Platform Module (TPM):	Y
Password protection:	Y
Password protection type:	BIOS,HDD,Supervisor
Weight & dimensions	
Weight:	2000 g
Width:	379 mm
Depth:	258 mm
Height:	23.25 mm
Packaging data	
Manual:	Y
AC adapter included:	Y
Toshiba Reliability Guarantee:	Y
Certificates	
Energy Star certified:	Y

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.