

Zebra VC70N0 handheld mobile computer (VC70N0-60VDC-U-R)

26.416 cm (10.4 ") LCD 1024 x 768 px, 600 cd/m2, TI OMAP 4430, Dual-Core 1 GHz, 512MB SDRAM, 2GB Flash, Fast Ethernet, 802.11a/b/g/n, 2 x RS-232, 3 x USB, 4300 g, Black, Windows Embedded 7 Professional



Price details:

Price excl. VAT: 2,867.26 €

Eco fees: 0.04 €

VAT 21 %: 602.13 €

Product details:

Product code: VC70N0-60VDC-U-R

EAN: 0132017862439

Manufacturer: Zebra

PDF generated on: 12 December, 2017



3,469.43 €

* VAT included

The VC70N0 is the right-sized device for all your material-handling vehicles. Its compact design improves visibility and safety while still providing a large high-resolution display for all the information operators need to improve productivity and task accuracy, in almost any lighting condition. The powerful VC70N0 supports traditional Telnet to modern browser-based graphic-rich applications, covering receiving, put-away, replenishment, picking, packing and shipping. You get the flexibility to add the options needed to maximize efficiency - including corded or cordless bar code scanners, keyboards and a variety of voice capabilities.

Our most rugged vehicle-mounted mobile computer

Designed for use in extreme warehouse environments, with a dust-and-water-tight IP66 sealing, rugged aluminum construction, freezer rating, sealed connectors and extreme shock and vibration testing.

Right-sized for all your material handling vehicles

Compact design improves operator visibility and safety while providing a large screen with plenty of room to display information operators need to improve task productivity and accuracy.

The power you need to support graphics-rich applications

A dual core 1GHz processor, 2GB of Flash memory and a user-accessible SD card slot that supports up to 32GB provide best-in-class performance for demanding applications as well as OS-agnostic applications created with Motorola's RhoMobile Suite.

High-speed Wi-Fi wireless connectivity

802.11a/b/g/n supports today's fastest available WLAN connections for superior application performance - plus easy integration with practically any WLAN.

Main specifications:

Display

Display diagonal:	10.4 "
Display resolution:	1024 x 768 pixels
Touchscreen:	Y
Display:	LCD
External display:	N

Memory

Internal memory:	512 MB
Internal memory type:	SDRAM
Compatible memory cards:	microSD (TransFlash),SDHC

Flash memory:	2048 MB
Maximum memory card size:	32 GB
Processor	
Processor frequency:	1000 MHz
Processor family:	Instruments OMAP
GPS Performance	
GPS (satellite):	N
Software	
Operating system installed:	Windows Embedded 7 Professional
Wireless LAN features	
Wi-Fi:	Y
Wi-Fi standards:	802.11a,802.11b,802.11g,802.11n
Data transmission	
Bluetooth:	N
Camera	
Built-in camera:	N
Ports & interfaces	
USB 2.0 ports quantity:	3
Ethernet LAN (RJ-45) ports:	1
Operational conditions	
Storage temperature (T-T):	-40 - 70 °C
Operating relative humidity (H-H):	5 - 95 %
Operating temperature (T-T):	-30 - 50 °C
Power	
AC adapter frequency:	50/60 Hz
AC adapter input voltage:	100 - 240 V
Weight & dimensions	
Weight:	4300 g
Width:	225.4 mm
Depth:	60 mm
Height:	291 mm
Technical details	
Colour of product:	Black
RFID reader:	N
Certification:	UL, cUL, IEC, EN, FCC, ICES, WEEE, RoHS
Barcode reader:	N

*PLEASE NOTE: Every effort has been made to ensure the accuracy of all information contained herein. Lasystems makes no warranty expressed or implied with respect to accuracy of the information, including price, editorials or specifications. Lasystems or its suppliers shall not be liable for incidental, consequential or special damages arising from, or as a result of, any electronic transmission or the accuracy of the information contained herein, even if Lasystems has been advised of the possibility of such damages. Product and manufacturer names are used only for the purpose of identification.